Line listing Maternal Death

S1. No	Name of Mother	Village	Age at death	Month of Pregnancy /DN/PN	Where delivery (home, sub- center , PHC, pvt etc.)	Nature of assistance untrained/ trained TBA/ANM/n urse/doctor	probable cause of death if known	Maternal death Audited (Y/N/N K)

Note: NK= Not know/ Don't Know; DN= During Delivery, PN=During Pregnancy With in 42 day

(Aggregation at block level, by age, place of delivery, and nature of assistance, possible cause of death namely abortion, obstructed or prolonged labour, fits, severe hypertension, bleeding before child delivery, bleeding after child delivery, high fever before delivery, high fever after delivery, any others, not known).

Block Level aggregation for maternal death line listing

SI.No		Entry					
1	Ma						
2	Ma						
3	Ma						
	a)	a) Maternal death during first trimester					
	b)	b) Maternal death during second trimester					
	c) Maternal death during third trimester						
4	Ma						
5	Ma						
6	Maternal death at age of the women						
	a)	Below 16					
	b)	16 to 19 years					
	c)	19 to 35 years					
	d)	Above 35 years					
7	7 Maternal death at (last place of assistance)						
	a)	Home					
	b)	Sub-Center					
	c)	PHC					
	d)	CHC					
	e)	Medical College					
	f)	Others					
8	Maternal death assisted by						
	a)	Untrained personnel					
	b)	Trained personnel					
	c)	ANM					
	d)	Nurse					
	e)	Doctor					

9	Possible cause of death					
	a)	Abortion				
	b)					
	c)					
	d)	Severs hypertension				
	e)	Bleeding before child delivery				
	f)	Bleeding after child delivery				
	g)	High fever before delivery				
	h)	High fever after delivery				
	i)					
	j)					
	k)					
	l)					
10	Not known					